121014/N7 157054/wat (700)

Location 216/8'N 7157058W to 2101'N 7 157048'W

Observer

Date 8 March, 1465 Time/630 tol 839

Weather

	T A	L	-J	unineesse To	D.			25 miles
	P	lbun	dan	Le	DI	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	3	-						
Wedge-tailed Shearwater								2.0
Christmas I. Shearwater		-						
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby	8							
Red-footed Booby	,		10	7				
Great Frigatebird	-							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern			17	7				79./
Gray-backed Tern			11					1.9.16
Brown-winged Tern								
Common Noddy			15	,				
Hawaiian Noddy			13.					
Blue-gray Noddy						- the continuous		
Fairy Tern								
rally lelli								
								205.0
	9							Total bul = 451
foeger	/							Total out - 7 1

MARCH

(18°20'~ 7 157°01'a at 1200)

Location 19°07's 7156°59's to 17°15's 7157°00's)

Observer

Date 9 manch 1965 Time 6642 to 1837

	A CONTRACTOR OF THE PARTY OF TH	CHE ZHANG KANANATA	1	TOTAL COMMISSION		Charles Co		1/2 4.1/2
	A	bun	dan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater		15						1.3
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								•
Phoenix I. Petrel								
Bulwer's Petrel	-					-		
Sooty Petrel								
Red-tailed Tropicbird	/							
White-tailed Tropicbird								
Masked Booby	-		-					
Brown Booby								
Red-footed Booby						e		
Great Frigatebird	<i>j</i>							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
		66						
Sooty Tern Gray backed Tern		99						
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern	4							
Leach's Stom Petul	3							
		and the second						
								11 1
1 0	/							
Sheawol - Peter	8							Total berds - 132

(14°26'07 157°01'a ot 1200)

Location 15° 20'N 7 157°01'W to 13°10'N 7 157°01'W

Observer

Date 10 march, 1965 Time 0640 to 1838

Weather 12,7

		No.		-				136 iniles
	A	bun	dan	ce	Br	eedi	ng	
SPECIES	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater	2							1.2
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby			-					
Red-footed Booby								
Great Frigatebird	2							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling Sanderling								
Bristle-thighed Curlew								
Sooty Tern		35						
Gray-backed Tern		>)						2 4 9
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy Fairy Tern	7							
Fairy Tern	2							
Leach's Stom Retail	1							
bud	1				- Timber			
Sooty? Sheaw ater Sheam ate-retur	/							Total bud = 45
//4		1		1			1	man 1 11 1 A

(11°26'w 7 15000'w of (200)

Location 11° 30'W 7 157°01'W to 10° 55'W 7 155° 51'W

Observer

Date 11 MArch 1465 Time 0637 to 1839

Weather

1210

						-		75 miles
	A	bur	dan	ce	Br	eed	ing	miles
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater								0 1 0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel		-	-	-				
Sooty Petrel			-					
Red-tailed Tropicbird								
White-tailed Tropicbird					-			
Masked Booby			-					
Brown Booby			-					
Red-footed Booby			-					
Great Frigatebird								
Golden Plover								
Ruddy Turnstone			-					
Wandering Tattler	-		-					
Sanderling			-					
Bristle-thighed Curlew			-					
Sooty Tern	V	-						A 00
Gray-backed Tern	/							0.5
Brown-winged Tern			-	-				
Common Noddy			-		-	-		
Hawaiian Noddy								
Blue-gray Noddy					-			
Fairy Tern					-			
rany rem								
							-	
								04
0								
large & Levelina	1							Total Buel = 5

(10°49' N 7 153°55 (wat 1200)

Location 10° 03'N 7 153° 57'W to 11°48'N 7 154°01'W

Observer

Date 12 March 1965 Time 6625 to 1827

		hur	ndan	00	D.	ood	ina	105 miles		
	-	Apur	1	-	БГ	reed	lu8			
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	Eggs	Young	Remarks		
Laysan Albatross										
Black-footed Albatross					_					
Wedge-tailed Shearwater	1							light Phone D.		
Christmas I. Shearwater	1				-			agair of		
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel										
Bulwer's Petrel	-									
Sooty Petrel	-	-								
Red-tailed Tropicbird	-									
White-tailed Tropicbird										
Masked Booby	-									
Brown Booby	1									
Red-footed Booby	1		-							
Great Frigatebird		-	-							
Golden Plover	-		-							
Ruddy Turnstone	1	-	-							
Wandering Tattler						-				
Sanderling		-		-						
Bristle-thighed Curlew	-	-	-							
Sooty Tern	-				-			A al		
Gray-backed Tern								6,0		
Brown-winged Tern	-									
Common Noddy	-									
Hawaiian Noddy	-									
Blue-gray Noddy										
Fairy Tern	,									
Level's Stim Petil	/									
	-									
			-100							
Dholago - Stribel	3							0./		
Phologo - Strebel Conge Pterochona Stream at - Petil	1									
Strawate - Retil	/							Total bush = 8		

(14°28'N 7 153°57'W at 1200)

Location 13°45'N 7 153°54'W to 15°35'8 7 153°58'W

Observer

Date 13 m mrch, 1465 Time 0626 to 1826

Weather

		SHADWING AND	1		The state of the s		•	114 miles
	A	bun	dan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater	8							light phone O,
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird	3							
White-tailed Tropicbird	1							
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler			-					
Sanderling								
Bristle-thighed Curlew								
Sooty Tern			18	4				74.3
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern	1							
Level's Stom Peterl	7.							
Phologo - Shreby	/							
	/							18 3
lage sterodoma Shewate-Petel	1							
She at pot		13						Total buds = 219

(18°07'N7 154°02'w af 1200)

Location 17°35'N 7 153°58'W to 19°07'N 7 153°56'W

Observer

Date 14 m A role 1965 Time 6625 to 1826

Weather

94 mila-

								92 miles
	A	Abund	dan	ce	Br	reedi	ing	
SPECIES	1-10	10-100	100-1000	+ 0000	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater		49						U 1
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird	2							
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling	8							
Bristle-thighed Curlew								
Sooty Tern			24	5				20 4
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern	9							
fort Shearach	3							
Looly Shear rates Leach's Stom Petul	2							
								4/5
Tropietod Shean ater-Petit	/							
00 000	1							Total burd = 323

(21°58'N7 154°00'w at 1200)

Location 21°00'N7 153°58'w to 22°59'N7 153°58'W

Observer

Date 15 march, 1465 Time 0625-to 1825

Weather 119 miles Abundance Breeding SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater 27 Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby 4 Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew Sooty Tern 493 Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Scote Shem ater Fearlis Stom Petel Pholoroge-Shets Trypubul Shea vite-Petil 12 total 6 mds = 644 (23°30'e 7 151015'a at 1200)

Location 23°31'N 7 152°24'W fo 22°42'& 7 15,001'W

Observer

Date 16 MANCH 146, Time 6619 to 1813

	A	bun	dan	ce	Br	eedi	ing	123 miles
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	Eggs	Young	Remarks
Laysan Albatross	3							
Black-footed Albatross	-	19		-				
Wedge-tailed Shearwater	4	//						0 7
Christmas I. Shearwater	4						-	
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel				-				
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird						-		
White-tailed Tropicbird								
Masked Booby	-							
Brown Booby								
Red-footed Booby								
Great Frigatebird	2							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern	6							0.5
Gray-backed Tern						-		
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
	-							
Level's Stom Peter	3							
Phologe - Sheld	7							39
Phologo Shrebed Tropubul Sheawate - Peterl	1							
She ut - Peterl	1							Total berls = 46

(19°59'N7 150°58'W of nod)

Location 20°48'N7 150°59'W to 15'56'N 2 150°59'W

Observer

Date 17 MArch, 1964 Time 0610 to 1815

				***				112 miles
	A	bun	dan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross	1							
Black-footed Albatross		12						
Wedge-tailed Shearwater	3							2.7
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird	/							
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird	1							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern	4					-		
Gray-backed Tern	/							
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Learlis Stom Pelel	3					**************************************		
leads from Peles								
							-	
Volonge-Inely)							
Volonge-Streby Cage pterstism Sheaw Its-Petil								71010
Strow des-Petel	2							Total buls = 33

(15°59'N 7 151°03'W at 1200)

Location 17°07'N 7 151°05'w to 14°55'N 7 15,001'W Date/9 March, 146, Time (610 to 1815 Observer Weather 132 m: les Abundance Breeding SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater 21 Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew Sooty Tern Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Level's Stom Netal

(12°09'v > 151°01 (w atmos)

Location 13°00'N 7 151°00'W to 11°31'N 7 150°58'W

Observer

Date 19 MArch, 1965 Time 0610 to 1815

	-							89 miles
	A	bun	dan	ce	Br	eedi	ing	
SPECIES	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater								0 - 0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird	1							
White-tailed Tropicbird	1							
Masked Booby							-	
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler						-		
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								0 - 0
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy			-Palinani pilitilaki r					
Fairy Tern								
		33						
Level's Stom Petal	4	10						
Leach's from Patral	7							
01 (2009							
Phologo - Sheld	2		-					
Longe Pherochorne Shear ats-Relief	1							<i>5</i> , <i>1</i>
Toge Pherochorne	5							
Shear at - Pelit	/							Total buch = 47

(10°14/N7 148°22'w of 1200)

Location 10°40'N T 149°,5'W to 10°29'N T147° 55'W

Observer

Date 40 march, 1965' Time 0601 to 1803

	A	h	do		D.	0001	130 -	1/2 in iles
	A	bun	idan	Ce	Br	eed	ing	
SPECIES	1-10	001-0	100-1000	+ 0001	Nests	Eggs	Young	Remarks
	=	H	+	-	2	11	>	
Laysan Albatross		- Justine de Judiense particul (Service)						
Black-footed Albatross								
Wedge-tailed Shearwater	8			-				3 clar & Phone
Christmas I. Shearwater	/			-				
Audubon's Shearwater			-					
Bonin I. Petrel			-					
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby	1							
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern			15	4				19.0
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
			115					
Scote Sheawater Feach's Stom Petal	6		(,)					
teach's Stom Pell								
-								
Theore at - Retel	-	//						
Theowoth-Retel		75						total bends = 371

(13016'N7 148000'e) at 1200)

Location 17°25'v 7147°59'w to 14°26'v 7147°58'w

Observer

Date 7.1 March 146; Time 0,56 to 1803

	1	la co	٠ اــ		0	0.7.13		121miles	
	A	bun	1	ce	Br	eedi	ng		
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	Fggs	Young	Remarks	
Laysan Albatross									
Black-footed Albatross									
Wedge-tailed Shearwater		2	7					7.4	
Christmas I. Shearwater									
Audubon's Shearwater									
Bonin I. Petrel									
Phoenix I. Petrel									
Bulwer's Petrel									
Sooty Petrel									
Red-tailed Tropicbird									
White-tailed Tropicbird									
Masked Booby									
Brown Booby	2								
Red-footed Booby									
Great Frigatebird									
Golden Plover									
Ruddy Turnstone									
Wandering Tattler									
Sanderling									
Bristle-thighed Curlew									
Sooty Tern		86							
Gray-backed Tern									
Brown-winged Tern									
Common Noddy									
Hawaiian Noddy									
Blue-gray Noddy									
Fairy Tern	1								
	,	65							
of OI (1 p-11		11							
Scote Show vehil Level's Stom Petel a hito-ect Petel	1	1							
and - ret fel.	1								

holars - Should	7								
	7								
Tropiel I Competterlynn Pleamote-Petul		14							
Conge Pterrhone		19						+ / / / /	
Flowerts-Peter	/							totalbal = 214	

(17014/07 148°01'0 ot120)

Location /6°00'N 7 147°55'W to 18°13'N 7 148°00'W

Observer

Date 22 march, 1464 Time 0556 to 1803

								126 iniles		
	A	bun	dan	ce	Br	eedi	ng			
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks		
Laysan Albatross										
Black-footed Albatross										
Wedge-tailed Shearwater	8							5		
Christmas I. Shearwater								U .		
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel										
Bulwer's Petrel										
Sooty Petrel			-							
Red-tailed Tropicbird										
White-tailed Tropicbird	-									
Masked Booby		-								
Brown Booby										
Red-footed Booby										
Great Frigatebird										
Golden Plover										
Ruddy Turnstone										
Wandering Tattler										
Sanderling										
Bristle-thighed Curlew										
Sooty Tern	7							0.6		
Gray-backed Tern	1	_								
Brown-winged Tern										
Common Noddy										
Hawaiian Noddy										
Blue-gray Noddy										
Fairy Tern										
	8		-							
Scoly Sheawater Level's Hom Retur	1									
Tevelis Form Rehal	/									
6 0	1									
largo Pterorbono Sheorwate-Retul										
largo / terorlino	3									
Sherwite-Retuil	5							Total buds = \$33		
Look Theory								10 tal burb = 835		

(21°12'v 7 147°54'w of 1200)

Location 20° 11'N 7 147°53'W to 22°12'N 7 147°57'W

Observer

Date 23 March 1165 Time 0553 to 1804

Weather

								121miles		
	A	bun	dan	ce	Br	eed	ing			
SPECIES	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks		
Laysan Albatross										
Black-footed Albatross								A		
Wedge-tailed Shearwater	/							0.1		
Christmas I. Shearwater										
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel										
Bulwer's Petrel		-								
Sooty Petrel										
Red-tailed Tropicbird	1									
White-tailed Tropicbird										
Masked Booby										
Brown Booby										
Red-footed Booby										
Great Frigatebird	1									
Golden Plover										
Ruddy Turnstone			-							
Wandering Tattler										
Sanderling										
Bristle-thighed Curlew										
Sooty Tern								0.0		
Gray-backed Tern										
Brown-winged Tern										
Common Noddy										
Hawaiian Noddy										
Blue-gray Noddy										
Fairy Tern										
	/			- Palitimographic Qualque inv						
Scool's Storm retal	6									
Koeks Stom Pehl	6									
								1,0		
Phologe-Shrely Shroweth-Retul	2									
Sheant - Peter	3							Total Genel = 19		

(25°03'N 7 148°06'W of 1200)

Location 24°06'v 7 148°03'w to 26°16'v 7 148°03'w

Observer

Date 24 March, 1495 Time 0553 to/805

	THE REPORT OF				-			130 miles		
	A	bun	dan	ce	Br	eed	ing			
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks		
Laysan Albatross	1									
Black-footed Albatross	7									
Wedge-tailed Shearwater	3							0.2		
Christmas I. Shearwater										
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel										
Bulwer's Petrel										
Sooty Petrel										
Red-tailed Tropicbird										
White-tailed Tropicbird										
Masked Booby										
Brown Booby										
Red-footed Booby										
Great Frigatebird										
Golden Plover										
Ruddy Turnstone										
Wandering Tattler										
Sanderling										
Bristle-thighed Curlew										
Sooty Tern								6 0		
Gray-backed Tern										
Brown-winged Tern										
Common Noddy										
Hawaiian Noddy								· · · · · · · · · · · · · · · · · · ·		
Blue-gray Noddy										
Fairy Tern										
	7									
Soot Sheawater Local's Stom Retal		11								
Cac 4's Stom Rely										
00 - 2 - 6	7							+1010		
Sheawater-Peter	5							total beres = 27		

(25°18'U7 150°43'W ot mod)

Location 25° 42'v 7 144° 37'w to 25°02'v 7 151° 18'W

Observer

Date 25 MArch 1965 Time 0557 to 1818

	ΙΔ	bun	dan	C 0	Br	eed	ina	104 miles
		 	i	1	DI	EEG	1113	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross		10						8
Wedge-tailed Shearwater	1							01/
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler			- All Adaptive regulations con-					
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								5 , 0
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
lue-gray Noddy								
Pairy Tern								
leader-bell themate Leach's I form Peters		18						
bender-bell thean ut	/							
each of tom Peters	3							
								3
Pregnate-Setul	3							
Heren & - Retul	5							Totalherb = 41

(24°56'N 7 154°34'W ed1200)

Location 20057'07 1530 47'w to 25°00'N7 1550'54'W

Observer

Date 26 MArch, 1465 Time 0611 to 1837

Weather

Weather								12
	_							119 miles
SPECIES	A	Abun	dan	ce	Br	eed	ing	
	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks
Laysan Albatross	1							
Black-footed Albatross		16						
Wedge-tailed Shearwater	7							0.6
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird	1							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern		18	viki terilindi apilin yagiliniya alban					
Gray-backed Tern		, 0						
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
let the t		51						
Lit - was Retail	1							
Soote Sheam with white-week Netwo Land Lack's Stom Peters	5							
Tala jimies								
Le Ala I	/							
Carge Steroclema Cheamate-Retal	7							total burel = 97

4.1

(23°30'N7 157°00'W at 1200)

Location 24°26'2 7 157°00'w to 22°35'2 7 157°00'w

Observer

Date 271114rch, 1965 Time 0635 to 1242

								III miles		
	A	bun	dan	ce	Br	eed	ng			
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks		
Laysan Albatross	5									
Black-footed Albatross	4									
Wedge-tailed Shearwater			25					Q_{N}		
Christmas I. Shearwater										
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel	2									
Bulwer's Petrel										
Sooty Petrel										
Red-tailed Tropicbird	3									
White-tailed Tropicbird					- Andrewson - Principles - Inc.					
Masked Booby	3									
Brown Booby										
Red-footed Booby	7									
Great Frigatebird	7									
Golden Plover	/									
Ruddy Turnstone										
Wandering Tattler										
Sanderling	_									
Bristle-thighed Curlew										
Sooty Tern	manus de manus de la constitución de la constitució	-	88	4						
Gray-backed Tern			00	-						
Brown-winged Tern										
Common Noddy		26								
Hawaiian Noddy		66								
Blue-gray Noddy										
Fairy Tern										
	2	7/								
Soo & Shear ater Level's from Detal	8	//								
Phologo - Shubb forger. Sheawath Peter	7									
foegu.	3							+ / 1/ 0 / 13		
Sheawate Peter		4	7					Total bus = 1325		